PL10-32, PL10-G, PL20-32, PL20-G WHITE AND ALMOND PORCLYNITE

Written by Super User. Posted in MSDS SHEETS

SECTION I - PRODUCT IDENTIFICATION

Product Name: PL10-32, PL10-G, PL20-32, PL20-G WHITE AND ALMOND PORCLYNITE

Revision: 12/04/03

SECTION II - HAZARDOUS INGREDIENTS & OTHER COMPONENTS

INGREDIENT CHEMICAL NAME	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED	CAS NUMBER
Propylene Glycol M Ether Acetate	NE	NE	N/A	108-65-6
2-Butanone Hydrocarbon Mixture (Bin	200ppm 400ppm	200ppm NE	N/A N/A	78-93-3 64742- 89-8
One) Ethyl Benzene	100ppm	100ppm	N/A	100-41-4

SECTION III - PHYSICAL DATA / CONTENTS WITHOUT PROPELLENT

BOILING POINT: 173 - 302°F **SPECIFIC GRAVITY (H2O=1):** 1.2094

VAPOR PRESSURE (mm Hg): N/A MELTING POINT: N/A

VAPOR DENSITY (AIR = 1): Is heavier EVAPORATION RATE (Butyl Acetate = Is slower than Ether

than air 1):

SOLUBILITY IN WATER: Insoluble APPEARANCE AND ODOR: Colored liquid with solvent odor

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD

20°F

USED):

FLAMMABLE LIMITS LEL: 1.0% UEL: 99.0%

EXTINGUISHING MEDIA: WATER FOG X STANDARD FOAM X CO₂ X

DRY CHEMICAL x HALON

UNUSUAL FIRE AND EXPLOSION

HAZARDS:

Vapors may form explosive mixture with air. Vapors can travel to a source of ignition and flash back. Extremely Flammable. Material will readily ignite at room temperatures. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be

completely, or properly disposed of.

SPECIAL PRECAUTIONARY

STATEMENTS:

Containers can build up pressure if exposed to heat (fire). As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear. Water runoff can cause environmental damage. Dike and collect water used to fight fire.

SECTION V: REACTIVITY DATA

STABILITY: x Stable Unstable

Incompatibility: No information

Hazardous Decomposition: No information

HAZARDOUS May Occur xWill not occur

POLYMERIZATION:

Conditions to Avoid: No information

SECTION VI: HEALTH HAZARD DATA

ROUTES OF ENTRY & HEALTH HAZARDS (ACUTE AND CHRONIC)

INGESTION: This material may be harmful or fatal if swallowed.

EYES: Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing,

reddening and swelling accompanied by a stinging sensation and/or a feeling like that of

fine dust in the eyes.

INHALATION: Prolonged inhalation may be harmful. Reports have associated repeated and prolonged

occupational overexposure t solvents with brain and nervous system damage.

Intentional misuse by inhaling the contents may be harmful.

SKIN: Prolonged or repeated contact can result in defatting and drying of the skin which may

result in skin irritation and dermatitis (rash).

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: If swallowed, induce vomiting immediately as directed by medical personnel. Never give

anything by mouth to an unconscious person. Get medical attention immediately.

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get immediate medical attention.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE LARGE AMOUNTS ARE

RELEASED:

Absorb spill with inert material (e.g. dry sand or earth), Then place in a chemical waste container. Avoid runoff into storm sewers and ditches which lead to waterways. Wear a self-contained breathing apparatus and

appropriate personal protective equipment. (See Exposure

Controls/Personal Protection Section)

WASTE DISPOSAL METHOD: Dispose in accordance with State, local and Federal regulations.

PRECAUTIONS TO BE TAKEN IN

HANDLING AND STORAGE:

This product is to be used for industrial or professional uses only and is to

be applied only by those who are trained in its safe and proper

application. When transferring material ground and bond containers and

use spark proof tools and explosion proof equipment. Wash thoroughly after handling. Keep away from heat, sparks and flame. Keep container closed when not in use.

OTHER PRECAUTIONS:

N/A

SECTION VIII: CONTROL MEASURES

RESPIRATORY PROTECTION:

A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

VENTILATION:

Sufficient ventilation, in volume and pattern, should be provided to keep air contamination below current applicable OSHA permissible exposure limit or ACGHI's TLV limit. Good general ventilation should be sufficient to control airborne levels. Local exhaust ventilation may be necessary to control any air contaminants to within their TLV's during the use of this product. Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

LOCAL EXHAUST:

PROTECTIVE GLOVES: Where contact is likely, wear chemical resistant gloves, a chemical

suit, rubber boots, and chemical safety goggles plus a face shield. Use chemical splash goggles and face shield (ANSI Z87.1 or

approved equivalent).

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield.

SECTION IX: SPECIAL PRECAUTIONS

HEALTH: 2	HAZARD RATING KEY
FLAMMABILITY: 3	0 = MINIMAL

REACTIVITY: 0	1 = SLIGHT
PERSONALPROTECTION:	2 = MODERATE
	3 = SERIOUS
	4 = SEVERE
	* = CHRONIC HEALTH EFFECTS

Disclaimer: The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.