



# T12-2 VINYLHYDE THINNER

Written by Super User. Posted in [MSDS SHEETS](#)

## SECTION I - PRODUCT IDENTIFICATION

Product Name: T12-2 VINYLHYDE THINNER

Revision: 12/4/03

## SECTION II - HAZARDOUS INGREDIENTS & OTHER COMPONENTS

INGREDIENT CHEMICAL NAME	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED	CAS NUMBER
Diethyl Adipate	NE	NE	N/A	103-23-1

## SECTION III - PHYSICAL DATA / CONTENTS WITHOUT PROPELLANT

**BOILING POINT:** 410-417°F

**SPECIFIC GRAVITY (H<sub>2</sub>O=1):** 0.9270

**VAPOR PRESSURE (mm Hg):** N/A

**MELTING POINT:** N/A

**VAPOR DENSITY (AIR = 1):** Is heavier than air

**EVAPORATION RATE (Butyl Acetate = 1):** Is slower than Ether

**SOLUBILITY IN WATER:** Insoluble

**APPEARANCE AND ODOR:** Clear liquid / Solvent

## SECTION IV: FIRE AND EXPLOSION HAZARD DATA

**FLASH POINT (METHOD USED):** 384°F

**FLAMMABLE LIMITS:** N/A

**EXTINGUISHING MEDIA:** WATER FOG x STANDARD FOAM x CO<sub>2</sub> x

DRY CHEMICAL x HALON

**UNUSUAL FIRE AND EXPLOSION HAZARDS:**

**SPECIAL PRECAUTIONARY  
STATEMENTS:****SECTION V: REACTIVITY DATA**

**STABILITY:** x Stable Unstable

**Incompatibility :** No information

**Hazardous Decomposition:** No information

**HAZARDOUS  
POLYMERIZATION:** May Occur xWill not occur

**Conditions to Avoid:** No information

**SECTION VI: HEALTH HAZARD DATA****ROUTES OF ENTRY & HEALTH HAZARDS (ACUTE AND CHRONIC)**

**INGESTION:** No information

**EYES:** No information

**INHALATION:** Prolonged inhalation may be harmful. Reports have associated repeated and prolonged occupational overexposure to solvents with brain and nervous system damage. Intentional misuse by inhaling the contents may be harmful.

**SKIN:** Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**EMERGENCY AND FIRST AID PROCEDURES**

**INGESTION:** No information.

**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**SKIN:** Wash with soap and water. Get medical attention if irritation develops or persists.

**SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE**

<b>STEPS TO BE TAKEN IN CASE LARGE AMOUNTS ARE RELEASED:</b>	Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Avoid runoff into storm sewers and ditches which lead to waterways. Wear a self-contained breathing apparatus and appropriate personal protective equipment.
<b>WASTE DISPOSAL METHOD:</b>	Dispose in accordance with State, local and Federal regulations.
<b>PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:</b>	This product is to be used for industrial or professional uses only and is to be applied only by those who are trained in its safe and proper application. When transferring material ground and bond containers and use spark proof tools and explosion proof equipment. Wash thoroughly after handling. Keep away from heat, sparks and flame. Keep container closed when not in use.
<b>OTHER PRECAUTIONS:</b>	N/A

**SECTION VIII: CONTROL MEASURES**

<b>RESPIRATORY PROTECTION:</b>	A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.
<b>VENTILATION:</b>	Sufficient ventilation, in volume and pattern, should be provided to keep air contamination below current applicable OSHA permissible exposure limit or ACGHI's TLV limit. Good general ventilation should be sufficient to control airborne levels. Local exhaust ventilation may be necessary to control any air contaminants to within their TLV's during the use of this product. Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
<b>LOCAL EXHAUST:</b>	N/A
<b>PROTECTIVE GLOVES:</b>	

Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield.

**EYE PROTECTION:**

Wear safety glasses with side shields (or goggles) and a face shield.

**SECTION IX: SPECIAL PRECAUTIONS**

HEALTH: 1	<b><u>HAZARD RATING KEY</u></b>
FLAMMABILITY: 1	0 = MINIMAL
REACTIVITY: 0	1 = SLIGHT
PERSONALPROTECTION:	2 = MODERATE
	3 = SERIOUS
	4 = SEVERE
	* = CHRONIC HEALTH EFFECTS

**Disclaimer:** The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.