



VLC-P, VLC-G VINYL & LEATHER CLEANER

Written by Super User. Posted in [MSDS SHEETS](#)

SECTION I - PRODUCT IDENTIFICATION

Product Name: VLC-P, VLC-G VINYL & LEATHER CLEANER

Revision: 12/04/03

SECTION II - HAZARDOUS INGREDIENTS & OTHER COMPONENTS

INGREDIENT CHEMICAL NAME	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED	CAS NUMBER
2-Butoxyethanol	25ppm	25ppm	N/A	111-76-2
Octylphenoxypolyethoxyethanol	NE	NE	N/A	9036-19-5
Rubbing Alcohol	400ppm	400ppm	N/A	67-63-0

SECTION III - PHYSICAL DATA / CONTENTS WITHOUT PROPELLENT

BOILING POINT: 180-518°F

SPECIFIC GRAVITY (H₂O=1): 0.9786

VAPOR PRESSURE (mm Hg): N/A

MELTING POINT: N/A

VAPOR DENSITY (AIR = 1): Is heavier than air

EVAPORATION RATE (Butyl Acetate = 1): Is slower than Ether

SOLUBILITY IN WATER: Soluble in water

APPEARANCE AND ODOR: Clear liquid / Aqueous odor

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED): 53°F

FLAMMABLE LIMITS LEL: 1.1% UEL: 12.0%

EXTINGUISHING MEDIA: WATER FOG x STANDARD FOAM x CO₂ x

DRY CHEMICAL x HALON

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Vapors may form explosive mixture with air. Vapors can travel to a source of ignition and flash back. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or properly disposed of.

SPECIAL PRECAUTIONARY STATEMENTS:

Containers can build up pressure if exposed to heat (fire). As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full

protective gear. Water runoff can cause environmental damage. Dike and collect water used to fight fire.

SECTION V: REACTIVITY DATA

STABILITY: x Stable Unstable

Incompatibility : No information

Hazardous Decomposition: No information

HAZARDOUS POLYMERIZATION: May Occur xWill not occur

Conditions to Avoid: No information

SECTION VI: HEALTH HAZARD DATA

ROUTES OF ENTRY & HEALTH HAZARDS (ACUTE AND CHRONIC)

INGESTION: No information.

EYES: Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Severely irritating. If not removed promptly, will injure eye tissue, which may result in permanent damage.

INHALATION: Prolonged inhalation may be harmful. Reports have associated repeated and prolonged occupational overexposure to solvents with brain and nervous system damage. Intentional misuse by inhaling the contents may be harmful.

SKIN: Causes skin irritation. Allergic reaction are possible. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash). Harmful if inhaled, swallowed or absorbed through the skin.

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: Get medical attention immediately. If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE LARGE AMOUNTS ARE RELEASED: Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Avoid runoff into storm sewers and ditches

which lead to waterways. Wear a self-contained breathing apparatus and appropriate personal protective equipment.

WASTE DISPOSAL METHOD: Dispose in accordance with State, local and Federal regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: This product is to be used for industrial or professional uses only and is to be applied only by those who are trained in its safe and proper application. When transferring material ground and bond containers and use spark proof tools and explosion proof equipment. Wash thoroughly after handling. Keep away from heat, sparks and flame. Keep container closed when not in use.

OTHER PRECAUTIONS: N/A

SECTION VIII: CONTROL MEASURES

RESPIRATORY PROTECTION: A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

VENTILATION: Sufficient ventilation, in volume and pattern, should be provided to keep air contamination below current applicable OSHA permissible exposure limit or ACGHI's TLV limit. Goof general ventilation should be sufficient to control airborne levels. Local exhaust ventilation may be necessary to control any air contaminants to within their TLV's during the use of this product. Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

LOCAL EXHAUST: N/A

PROTECTIVE GLOVES: Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield.

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield.

SECTION IX: SPECIAL PRECAUTIONS

HEALTH: 1	<u>HAZARD RATING KEY</u>
FLAMMABILITY: 0	0 = MINIMAL
REACTIVITY: 0	1 = SLIGHT
PERSONALPROTECTION:	2 = MODERATE
	3 = SERIOUS

	4 = SEVERE
	* = CHRONIC HEALTH EFFECTS

Disclaimer: The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.