



2323-6, 2323-32, 2323-G FLEX TEX

Written by Super User. Posted in **MSDS SHEETS**

SECTION I - PRODUCT IDENTIFICATION

Product Name: 2323-6, 2323-32, 2323-G FLEXTEX

Revision: 02/27/97

SECTION II - HAZARDOUS INGREDIENTS & OTHER COMPONENTS

INGREDIENT CHEMICAL NAME	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED	CAS NUMBER
Toluene	100ppm	100ppm	150ppm	108-88-3
Crystalline Silica	8 hr TWA	0.1mg/m3	N/A	14808-60-7
Methyl Ethyl Ketone	200ppm	200ppm	N/A	78-93-3
Propylene Glycol Methyl Ether Acetate	N/A	N/A	N/A	108-65-6
Solvent Solution Copolymer	100ppm	100ppm	150pp	Mixture

SECTION III – PHYSICAL DATA / CONTENTS WITHOUT PROPELLENT

BOILING POINT:	175	SPECIFIC GRAVITY (H2O=1):	1.19
VAPOR PRESSURE (mm Hg):	N/A	MELTING POINT:	N/A
VAPOR DENSITY (AIR = 1):	Heavier than air	EVAPORATION RATE (Butyl Acetate = 1):	Faster than n-Butyl Acetate
SOLUBILITY IN WATER:	Stable	APPEARANCE AND ODOR:	Fluid black liquid – solvent odor

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED):	23
FLAMMABLE LIMITS	LEL: 1.1 UEL: 11.5
EXTINGUISHING MEDIA:	WATER FOG STANDARD FOAM x CO 2 x DRY CHEMICAL x HALON

UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapors may ignite explosively. Exposure to heat or prolonged exposure to sun may cause bursting. Do not expose to heat or store at temperatures above 120 ° F. Do not puncture or incinerate container.

SPECIAL PRECAUTIONARY STATEMENTS: Water spray may be ineffective, but may be used to cool containers exposed to heat. Wear self-contained breathing apparatus.

SECTION V: REACTIVITY DATA

STABILITY:	x Stable Unstable
Incompatibility :	Oxidizing agents.
Hazardous Decomposition:	Carbon dioxide, carbon monoxide, various hydrocarbons, oxides of nitrogen.

HAZARDOUS POLYMERIZATION: x May Occur Will not occur

Conditions to Avoid: Excessive heat, open flames, spark sources.

SECTION VI: HEALTH HAZARD DATA

ROUTES OF ENTRY & HEALTH HAZARDS (ACUTE AND CHRONIC)

INGESTION: Gastrointestinal irritation, vomiting, diarrhea.

EYES: Moderate irritation, redness, blurred vision.

INHALATION: Nasal and respiratory irritation, dizziness, headache, nausea, possible unconsciousness, and asphyxiation.

SKIN: Moderate irritation, redness, blurred vision.

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: Keep person warm and quiet. Seek immediate medical advice regarding induction of vomiting.

EYES: Flush with large amounts of water lifting upper and lower lids. Get medical attention.

INHALATION: Remove to fresh air, give artificial respiration if necessary.

SKIN: Thoroughly wash exposed area with soap and water.

SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE LARGE AMOUNTS ARE RELEASED: Remove all sources of ignition. Allow volatile portion to evaporate completely. Avoid breathing vapors and remove with inert absorbent.

WASTE DISPOSAL METHOD: Do not incinerate. Dispose of in accordance with local, state and federal regulations. Do not contaminate lakes, streams, or other water supply.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Do not store or use near heat, sparks or flame. Store in well ventilated area. Keep closure tight and container upright to prevent leakage. Do not puncture or incinerate. Do not spray near fire or open flame.

OTHER PRECAUTIONS: Reports have associated repeated and prolonged occupational over-exposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Avoid spontaneous contaminated rags or other ignitable material. Keep out of reach of children.

SECTION VIII: CONTROL MEASURES

RESPIRATORY PROTECTION: Use of a NIOSH approved chemical/mechanical filter, designed to remove a combination of particles and vapors.

VENTILATION: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV(s).

LOCAL EXHAUST: N/A

PROTECTIVE GLOVES: Neoprene or butyl rubber gloves.

EYE PROTECTION: Goggles or side-shielded safety glasses.

SECTION IX: SPECIAL PRECAUTIONS

HEALTH :	<u>HAZARD RATING KEY</u>
FLAMMABILITY :	0 = MINIMAL
REACTIVITY :	1 = SLIGHT
PERSONAL PROTECTION :	2 = MODERATE
	3 = SERIOUS
	4 = SEVERE
	* = CHRONIC HEALTH EFFECTS

Disclaimer : The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.